Frontiers of Extreme Computing 2007 Zettaflops Workshop Enabling Technologies Group

George Adams, George Bourianoff, Russell David, Erik P. DeBenedictis, Sarah Frost, Gary Hughes, Tony Lentine, Mike Niemier, Jim Sundet, Tom Theis, Sheila Vaidya, Stan Williams, Ben Yoo, Tom Zipperian



Industry Leads

- ITRS valid for everything in it
- There will be a zillion dollars invested without our help
- However, our community needs to track customer demand
- There will be a CMOS transistor replacement eventually, but this is basic research opportunity now. Government sector could provide more support for NRI

This is industry's show, and the Government sector doesn't have the funds to influence things.



Public Sector Leadership Opportunities

- Special Function Units
- Low Energy Interconnect
- Memory Options



Special function units

- Full commodity model: Public sector might influence design of special function units to do dual duty between a commodity use and science/public sectors
- Tightly coupled commodity model: Future public sector system might have a commodity components (maybe at IP level) plus a special function units or special integration technology, all to for public use



Low Energy Interconnect

Optics

- Probably required just to reach exascale
- Optics infuses the system from rack-to-rack then board-to-board, ... then eventually on chip
- Pace of optical development is inconsistent with ITRS electronics and not sufficient to reach exascale on expected timescales
- Electrical
 - Evolution of LVDS



Nano memory

- DRAM alone may be insufficient for balanced exascale systems, but there are no total DRAM replacements on the horizon
 - Not dense enough, expensive, power too high
- There are a number of future technologies
 - Public sector needs seem technically more intense than expected commercial needs
- Some nano-memory options might be sufficient drive informatics applications with a different architecture



Assessment in support of application

- It would be interesting to take fully-mature CMOS and plausible optical technology and estimate the performance of an exascale application on an architecture (per architecture working group)
- Valid exercise even if we don't change the technology (just as an observer)



• 25 people in outbrief room at 11:17

